PTN2925 Correction Sheet:

Cutting Instructions

We found errors in our cutting instruction and sincerely apologize for any inconvenience this will cause.

24215G-10 (Dots):

- Cut one 5 ½-inch x WOF strip. Subcut four 5 ½-inch squares (Outer Border Cornerstone) and four 2 ½-inch squares (Inner Border Cornerstone).
- Cut three one 8-inch x WOF strips. Subcut twelve four 8-inch squares (Inner Setting Triangle,).
- Cut two 7 ½-inch x WOF strip. Subcut eight 7 ½-inch squares (Center Block and Outer Setting Triangles).

9050M-91 Frost Silver:

• Cut one 16 12-inch x WOF strips. Subcut two 12-inch squares and one 16 11 1/2-inch square (Flying Geese). Then, cut two 12-inch squares twice on the diagonal, from corner to corner, to form eight 12-inch triangles (Inner Setting Triangles).

Piecing Instructions

- 1) Make four Flying Geese. (Figure 1)
 - b) Place two Platinum Silver 8 ½-inch squares on each corner of Frost Silver 16- 11 ½ inch square with right sides together, aligning with the corners. Platinum Silver 8 ½-inch squares will overlap in the middle of Frost Silver 16- 11 ½ inch square. Ensure the diagonal lines from Platinum Silver 8 ½-inch squares form one continuous line. Pin or clip pieces together.
 - d) Cut along drawn line (Blue) and press seams. Frost Silver 16- 11 ½ inch square makes two Heart Units.
 - e) Place one Platinum Silver 8 ½-inch square on Heart Unit with right sides together. Align Platinum Silver 8 ½-inch square with the corner of Heart Unit. The diagonal line from Platinum Silver 8 ½-inch square should be the midpoint between the Platinum Silver peaks of the heart.
 - f) Repeat steps c-e.
 - g) Press and trim each block to 8-inch x 15 ½-inch.



- 2) Make Center Block (Figure 2)
 - b) Sew Dots 8 7 ¹/₄-inch squares to both ends of two remaining Flying Geese to make Flying Geese Strips. Press toward Dots fabric.
- 5) Make four Flying Goose units. (Figure 6)
 - a) Sew Frost Silver triangles to two adjacent sides of Dots 8 7 ¹/₄-inch square to make Pieced Triangle. Make four.